	Application No.	Applicant(s)
Notice of Allowability	10/567,466	COSTA ET AL.
	Examiner	Art Unit
	LEE NGUYEN	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>20-38</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient:		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E	Detent Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal 6. ☐ Interview Summar 	, ,
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Do	
Paper No./Mail Date 4.		nent of Reasons for Allowance
of Biological Material	9.	
•		LEE NGUYEN Primary Examiner Art Unit: 2618

Art Unit: 2618

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

2. The IDS filed 2/7/06 has been considered and recorded in the file.

Allowable Subject Matter

3. Claims 20-38 are allowed.

Regarding claims 20 and 35, Lavean (US 6,141,332) cited by EP Patent Office teaches synchronizing between a base station and a mobile station in a CDMA system, in which the synchronization of the mobile station pilot signal and the base station reference pilot is acquired (col. 4, lines 25-55 and col. 8, lines 41-56). Furukawa (US 7,242,959) teaches that each base station measures intensities of pilot signals and interference signals received from adjacent cells for handover and admission control (col. 3, lines 3-15). Lavean and Furukawa, either alone or in combination, fails to teach receiving at the base station pilot signals from the mobile stations assigned to the base station and pilot signals from mobile stations assigned to adjacent radio cells; and using the pilot signals received to determine a synchronization value for a time synchronization and/or a frequency synchronization, to which the base station synchronizes itself.

Application/Control Number: 10/567,466

Art Unit: 2618

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEE NGUYEN whose telephone number is 571-272-7854. The examiner can normally be reached on 8:00 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, ANDERSON D. MATTHEW can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LEE NGUYEN Primary Examiner Art Unit 2618

Page 3